

Title	Demonstrate knowledge of, fix and finish fibrous plaster cornice and mouldings on site		
Level	4	Credits	15

Purpose	People credited with this unit standard are able to describe methods used to fix fibrous plaster cornice and mouldings to interior surfaces on site; and fix and finish cornice, mouldings, and attachments to on-site wall and ceiling areas.
----------------	--

Classification	Construction Trades > Fibrous Plaster
-----------------------	---------------------------------------

Available grade	Achieved
------------------------	----------

Guidance Information

1 Definitions

Access equipment, for the purpose of this unit standard, means equipment used to facilitate access to the work area, and may include ladders, working platforms, scaffolding or mechanical plant. Approved codes of practice relating to the safe operation of this equipment are available at <http://www.osh.govt.nz>.

On site refers to a wide range of building and construction environments within which trade skills are applied.

Specifications refers to documented instructions (oral, written, graphic) and may include any of the following: manufacturer's specifications, recommendations or technical data sheets; material specifications; specifications from a specialist source such as an architect, designer, engineer or a supervisor; site or work specific requirements.

Work site practice refers to the documented procedures specific to a work site which set out the standard and required practices of that work site.

2 Performance of the elements must meet quality and work requirements of an on site environment. Work requirements are detailed in the *Industry Productivity Guidelines* which are available from the Building and Construction Industry Training Organisation, PO Box 2615, Wellington.

3 All work practices must comply with the following: Health and Safety in Employment Act 1992 and Health and Safety in Employment Regulations 1995; Resource Management Act 1991; Building Act 2004; AS/NZS 2589:2007 *Gypsum linings – Application and finishing*, available from Standards NZ (<http://www.standards.co.nz>); *Approved Code of Practice for the Safe Erection and Use of Scaffolding* (Wellington: Occupational Safety and Health Service, Department of Labour, 1995) available at <http://www.osh.govt.nz>; New Zealand Building Code.

- 4 Credit for this unit standard indicates compliance with industry practice. *Industry practice* refers to the ability to demonstrate knowledge and skills that reflect the productivity, uniformity, finish quality and material economies currently accepted within industry.

Outcomes and performance criteria

Outcome 1

Describe methods used to fix fibrous plaster cornice and mouldings to interior surfaces on site.

Performance criteria

- 1.1 Methods of fixing are described in accordance with manufacturer's and job specifications.

Range niche, fire surround, arch end, dome, corbel, dado, ceiling centre, arch, rail baton, cornice.

Outcome 2

Fix and finish cornice, mouldings and attachments to on site wall and ceiling areas.

Range cornice and three of the following – niche, fire surround, arch end, dome, corbel, dado, ceiling centre, arch, rail baton;
on site environments include – residential, industrial, commercial, multi-storey;
one environment is required.

Performance criteria

- 2.1 Substrate surface is checked as fit for purpose for the application of fibrous plaster cornice and mouldings.

- 2.2 Cornice, mouldings, and attachments are identified from working drawings or job specifications.

- 2.3 Access equipment is arranged for wall and ceiling areas in accordance with the Health and Safety in Employment regulations.

- 2.4 Cornice, mouldings, and attachments are fixed and finished in accordance with working drawings or job specifications and industry practice.

- 2.5 All operations are completed, workplace and tools cleaned, and tools stored in accordance with work site practice.

This unit standard is expiring. Assessment against the standard must take place by the last date for assessment set out below.

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	18 January 1996	31 December 2024
Revision	2	5 July 1999	31 December 2024
Review	3	29 August 2000	31 December 2024
Revision	4	18 May 2005	31 December 2024
Review	5	20 April 2006	31 December 2024
Review	6	25 January 2008	31 December 2024
Review	7	26 May 2022	31 December 2024

Consent and Moderation Requirements (CMR) reference	0048
--	------

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.