

Title	Inspect and mend plain unbacked tufted carpet		
Level	3	Credits	20

Purpose	<p>This unit standard is for people working in the carpet manufacturing industry.</p> <p>People credited with this unit standard are able to demonstrate knowledge of tufted carpet mending, and inspect and mend carpet.</p>
----------------	---

Classification	Textiles Manufacture > Carpet Manufacture
-----------------------	---

Available grade	Achieved
------------------------	----------

Entry information	
Recommended skills and knowledge	Unit 7190, <i>Tuft plain carpet.</i>

Explanatory notes

- 1 Legislation relevant to this unit standard includes but is not limited to the Health and Safety at Work Act 2015.
- 2 Definition
Workplace procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, site safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, and procedures to comply with legislative and local body requirements.
- 3 Assessment information
All evidence must be in accordance with workplace procedures.

Outcomes and evidence requirements

Outcome 1

Demonstrate knowledge of tufted carpet mending.

Evidence requirements

- 1.1 The function and use of carpet mending equipment are described.

Range air operated mending gun, electric mending gun, hand needles.

1.2 Carpet faults are identified, and described in terms of their cause and mending technique.

Range ends out, contaminated yarn, streaky yarn, uncut loops, yarn joins, stop marks, high lines, low lines, knife lines, texture variation, holes, pull down, dirty marks, foreign yarn and other faults common in the workplace.

Outcome 2

Inspect and mend carpet.

Evidence requirements

2.1 Carpet is inspected and faults are identified.

Range ends out, contaminated yarn, streaky yarn, uncut loops, yarn joins, stop marks, high lines, low lines, knife lines, texture variation, holes, pull down, dirty marks, foreign yarn and other faults common in the workplace.

2.2 Mending gun settings produce mend.

2.3 Mending technique conforms to workplace procedures for fault being mended.

Range ends out, contaminated yarn, uncut loops, yarn joins, dirty marks, foreign yarn.

2.4 Fault is mended.

2.5 Records are maintained.

Planned review date	31 December 2021
----------------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	28 May 1996	31 December 2019
Revision	2	16 November 1998	31 December 2019
Revision	3	10 October 2001	31 December 2019
Revision	4	12 August 2004	31 December 2019
Rollover and Revision	5	26 March 2007	31 December 2019
Rollover	6	16 July 2010	31 December 2019
Review	7	19 May 2016	N/A

Consent and Moderation Requirements (CMR) reference

0030

This CMR can be accessed at <http://www.nzqa.govt.nz/framework/search/index.do>.

Please note

Providers must be granted consent to assess against standards (accredited) by NZQA, before they can report credits from assessment against unit standards or deliver courses of study leading to that assessment.

Industry Training Organisations must be granted consent to assess against standards by NZQA before they can register credits from assessment against unit standards.

Providers and Industry Training Organisations, which have been granted consent and which are assessing against unit standards must engage with the moderation system that applies to those standards.

Requirements for consent to assess and an outline of the moderation system that applies to this standard are outlined in the Consent and Moderation Requirements (CMR). The CMR also includes useful information about special requirements for organisations wishing to develop education and training programmes, such as minimum qualifications for tutors and assessors, and special resource requirements.

Comments on this unit standard

Please contact Competenz_info@Competenz.org.nz if you wish to suggest changes to the content of this unit standard.