Title	Construct exterior boat joinery in timber		
Level	4	Credits	20

Purpose	People credited with this unit standard are able to determine requirements, and prepare materials and equipment, to construct exterior boat joinery in timber, and construct exterior boat joinery.
---------	---

Classification Boating Industries > Boatbuilding	
--	--

Available grade Achieved
--------------------------

## **Guidance information**

- 1 Definitions
  - Job specifications refers to the standard requirements of the job being undertaken. Workplace policies and procedures refers to the documented procedures and policies providing guidelines of the tasks and activities carried out in the workplace. This typically includes relevant health and safety requirements to eliminate hazard/risk in the workplace.
- 2 Evidence of a hinged door, a flush hatch, a sliding hatch, and a cockpit locker is required.
- All work practices must meet recognised codes of practice and workplace policies and procedures (where these exceed code) for personal, product, and workplace health and safety, and must meet the obligations required under the Health and Safety at Work Act 2015, Health and Safety in Employment Regulations 1995, and Resource Management Act 1991, and any subsequent amendments.
- 4 Boat joinery maybe constructed using the exterior designs and working drawings supplied by the employer or any other party.

# Outcomes and performance criteria

# Outcome 1

Determine requirements to construct exterior boat joinery in timber.

## Performance criteria

- 1.1 Working drawings are verified in accordance with job specifications.
- 1.2 Construction requirements are determined from inspection of working drawings, exterior designs plan, and the boat.

NZQA unit standard 9936 version 6 Page 2 of 3

1.3 Construction method is determined in accordance with job specifications and exterior designs.

#### Outcome 2

Prepare materials and equipment to construct exterior boat joinery.

#### Performance criteria

- 2.1 Sketches and templates are developed in accordance with working drawings.
- 2.2 Materials and equipment are prepared in accordance with job specifications.

Range materials – timber, adhesives, fastening.

#### **Outcome 3**

Construct exterior boat joinery in timber.

## Performance criteria

- 3.1 Exterior boat joinery is constructed in accordance with job specifications and exterior design plan.
- 3.2 Completed exterior boat joinery is checked and remedial action is taken if required to ensure quality finish and job specifications are met.

Planned review date	31 December 2023
---------------------	------------------

Status information and last date for assessment for superseded versions

otatao information and fact date for accocomont for caporcoaca volcione				
Process	Version	Date	Last Date for Assessment	
Registration	1	7 May 1997	31 December 2020	
Revision	2	9 October 1998	31 December 2020	
Revision	3	20 March 2001	31 December 2020	
Revision	4	16 April 2004	31 December 2020	
Rollover and Revision	5	17 October 2008	31 December 2020	
Review	6	31 May 2018	N/A	

Consent and Moderation Requirements (CMR) reference	0136
---	------

This CMR can be accessed at http://www.nzqa.govt.nz/framework/search/index.do.

NZQA unit standard 9936 version 6 Page 3 of 3

# Comments on this unit standard

Please contact the NZ Marine and Composites ITO <u>training@nzmarine.com</u> if you wish to suggest changes to the content of this unit standard.