Title	Maintain aircraft missiles		
Level	4	Credits	16

Purpose	People credited with this unit standard are able to: prepare to maintain aircraft missiles; locate defects in aircraft missiles; rectify defects in aircraft missiles; and complete tasks related to the maintenance of aircraft missiles.
---------	--

Classification	Aeronautical Engineering > Aeronautical Armament
----------------	--

Available grade
-----------------

# **Guidance Information**

1 All tasks must be carried out in accordance with enterprise procedures.

## 2 Definition

Enterprise procedures – procedures used by the organisation carrying out the work and applicable to the tasks being carried out. Examples are – standard operating procedures, safety procedures, equipment operating procedures, codes of practice, quality management practices and standards, procedures to comply with legislative and local body requirements.

3 Evidence produced for assessment purposes can be from air-to-air and/or air-to-ground types of missile.

# Outcomes and performance criteria

#### **Outcome 1**

Prepare to maintain aircraft missiles.

#### Performance criteria

- 1.1 Task is determined by reviewing maintenance documentation and manuals.
- 1.2 Resources are obtained and checked for serviceability or status.
  - Range may include but is not limited to manuals, tools, materials, safety equipment, support equipment.

NZQA unit standard 17658 version 5
Page 2 of 3

1.3 Missiles are prepared for maintenance.

Range explosive ordnance to be maintained matched with

documentation, building and area authorisations checked, safety

devices fitted.

1.4 Support equipment is positioned ready for use.

Range stands, lifting gear, warning signs.

## Outcome 2

Locate defects in aircraft missiles.

# Performance criteria

2.1 Missile system serviceability is determined.

Range inspect, assess, test.

- 2.2 Defects are reported and documented.
- 2.3 Defective items are segregated.

# **Outcome 3**

Rectify defects in aircraft missiles.

# Performance criteria

- 3.1 Methods of rectifying defects are determined.
- 3.2 Replacement parts are procured and verified as authentic and serviceable.

Range identify, inspect.

3.3 Defects are rectified.

Range repaired, replaced or modified, adjusted or calibrated, reclassified.

- 3.4 Missiles are tested to verify serviceability.
- 3.5 Supervisory inspections are obtained.

# **Outcome 4**

Complete tasks related to the maintenance of aircraft missiles.

## Performance criteria

4.1 Work environment is left in a state that enables the next task to begin.

Range isolation tags attached and removed, external and internal

warnings positioned and stowed, system switches and selectors set, power connected and disconnected, access panels closed, support equipment stowed, loose articles removed, cleaned,

tidied.

4.2 Resources are checked for serviceability and returned to service or storage.

Range may include but is not limited to – manuals, tools, safety

equipment, support equipment.

4.3 Leftover parts and materials are disposed of.

Range may include but is not limited to – serviceable, unserviceable,

surplus, waste, scrap, hazardous.

4.4 Documentation is completed.

Range may include but is not limited to – labels, work orders, certification

obtained.

Planned review date	31 December 2027
---------------------	------------------

Status information and last date for assessment for superseded versions

Process	Version	Date	Last Date for Assessment
Registration	1	19 October 2000	31 December 2016
Review	2	26 March 2007	31 December 2016
Review	3	24 October 2014	31 December 2022
Review	4	27 August 2020	N/A
Rollover and Revision	5	27 June 2024	N/A

Consent and Moderation Requirements (CMR) reference	0028
---	------

This CMR can be accessed at <a href="http://www.nzqa.govt.nz/framework/search/index.do">http://www.nzqa.govt.nz/framework/search/index.do</a>.

## Comments on this unit standard

Please contact Ringa Hora Services Workforce Development Council <a href="mailto:qualifications@ringahora.nz">qualifications@ringahora.nz</a> if you wish to suggest changes to the content of this unit standard.